



# COMPLETE FLOORS

A U S T R A L I A



## PRODUCT CATALOGUE

[www.completefloorsaustralia.com.au](http://www.completefloorsaustralia.com.au)











Emphasising Australia's much loved classic species Blackbutt, Blue Gum, Brush Box, Ironbark & Spotted Gum.


Species	Blackbutt, Blue Gum, Brush Box, Ironbark, Spotted Gum & Rustic Blackbutt	Blackbutt, Spotted Gum & Rustic Blackbutt
Core Material	Hevea	Hevea
Locking System	Välinge 5G Glueless Joining System	Välinge 5G Glueless Joining System
Width	132mm	180mm
Thickness	13.5mm	13.5mm
Wear Layer	4mm	4mm
Length	1,820mm & 2,130mm	1,820mm & 2,130mm
Surface	Smooth Texture	Smooth Texture
Coating	UV cured 6 coat Klumpp system	UV cured 6 coat Klumpp system
Finish	Ultra Matt 10% Gloss	Ultra Matt 10% Gloss
Coverage	1,820mm - 1.922m <sup>2</sup> & 2,130mm - 2.249m <sup>2</sup>	1,820mm - 1.966m <sup>2</sup> & 2,130mm - 2.300m <sup>2</sup>
Packaging	8 rows per box, maximum of 2 nested rows	6 rows per box, maximum of 2 nested rows
Matching Accessories	EVERwalk & HUSHwalk Underlays, Trims & Scotia	EVERwalk & HUSHwalk Underlays, Trims & Scotia













**PremièreOak**  
BY COMPLETE FLOORS AUSTRALIA

Inspired by the beautiful, old-world features of French décor.

Feature	Première Oak	Elegant Oak
Description	Engineered Flooring	Engineered Flooring
Specie	Genuine French Oak	Genuine French Oak
Colour Tones	Bateau, Burnt Umber, Natural, Slate Grey, Smouldered, Vintage, White Wash	Bateau, Burnt Umber, Natural, Slate Grey, Smouldered, Vintage, White Wash, Raw
Appearance	Rustic	Rustic
Width	190mm	189mm
Thickness	12mm	15mm
Length	Up to 2100mm	Up to 1830mm
Wear Layer	2mm	4mm
Finish	Ultra Matt	Ultra Matt
Surface	Light Brush Texture	Light Brush Texture
Connection	Tongue & Groove	Tongue & Groove










WALK on your very own  
REAL Hardwood floor today.

Species	Blackbutt, Spotted Gum, Blue Gum, Brush Box, Ironbark, Jarrah*	American White Oak
Core Material	Plantation Eucalypt	Plantation Eucalypt
Locking System	Välinge 2G glueless joining system	Välinge 2G glueless joining system
Profile	Micro Bevel (ends and sides)	Micro Bevel (ends and sides)
Size	136mm x 13.5mm & 186mm x 13.5mm	186mm x 13.5mm
Wear Layer	0.6mm	0.6mm
Length	1,830mm	1,830mm
Surface	Smooth	Smooth
Coating	13 Coats incorporating Aluminium Oxide	13 Coats incorporating Aluminium Oxide
Finish	Satin (35% gloss)	Matt (12% gloss)
Coverage	136mm: 1.793M² & 186mm: 2.042M²	186mm: 2.042M²
Packaging	6 rows per carton, with up to 2 nested rows	6 rows per carton, with up to 2 nested rows
Install Suitability	Floating, direct glue	Floating, direct glue
Sub Floor Heating Suitability	Yes	Yes
Install Over	Wood, concrete, plywood & particleboard flooring	Wood, concrete, plywood & particleboard flooring
Accessories	Aluminium trims & MDF wrapped scotia	Aluminium trims & MDF wrapped scotia



\*Jarrah is only available in the 136mm board width.





**Hurford  
Herringbone**

[completefloorsaustralia.com.au](http://completefloorsaustralia.com.au)



## CREATE A STRIKING CUSTOM SHOWPIECE FROM THE FLOOR UP USING HURFORD HERRINGBONE ENGINEERED PARQUET FLOORING.

### Specifications...

Species:	Oak
Colour Stains:	RAW (unfinished)
Appearance:	Prime
Core Material:	Plantation Eucalyptus Plywood
Locking System:	Tongue and Groove (ends and sides)
Profile:	Square edge (ends and sides)
Size:	120mm x 14mm
Wear Layer:	3mm lamella
Length:	600mm
Surface:	Smooth, lightly sanded
Coating:	Uncoated
Finish:	Unfinished
Coverage:	1.728M <sup>2</sup> /box
Packaging:	24 pieces per box
Install Suitability:	Direct glued
Install Sub-Floor Heating:	Yes
Install Over:	Wood, concrete, plywood & plywood over concrete
Colour Match Accessories:	N/A



## Be exposed to Naked Oak.

Manufactured in a world class mill, Naked Oak is a masterful combination of genuine European Oak bonded to a strong plantation eucalypt plywood core. The engineered profile features kissed edges on all four borders, to create an overall dimensional look, and a traditional tongue and groove locking system for easy installation. Each lamella has been exclusively sorted and graded, with only the highest quality oak qualifying for production.

Naked Oak is finished using a wire brushing technique, removing the soft grain to create a surface with natural depth and texture. The uninterrupted topographic like grain of the Oak is accentuated with a Natural stain which simultaneously illuminates the distinct almond, blonde tones to the deep champagne hues of the heartwood.

### Specifications:

- Species: Genuine European Oak
- Colour Stains: Natural, RAW (unfinished)
- Appearance: Prime
- Core Material: Plantation Eucalyptus Plywood
- Locking System: Tongue & Groove (ends & sides)
- Size: 190 x 15mm
- Wear layer: 4mm lamella
- Length: 1,900mm
- Coverage: 2.166M<sup>2</sup>/box
- Packaging: 6 rows per box, maximum of 2 nested rows
- Install Sub-Floor Heating: Yes
- Install Over: Wood, concrete, plywood & plywood over concrete
- Colour Match Accessories: Aluminium trims & MDF wrapped scotia



# Trims & accessories



## Senior End (15mm End Cap)

Length: 3400mm

Available Anodised: Silver, Bronze & Champagne

Available Powder Coated: Blackbutt, Spotted Gum, Jarrah, Blue Gum, Oak Natural & Teak

Ideal for transitioning between floor coverings or vertical surfaces (i.e walls, full length windows)



## Mid End (12mm End Cap)

Length: 3400mm

Available Anodised: Silver, Bronze & Champagne

Available Powder Coated: Spotted Gum, Oak Natural & Teak

Ideal for transitioning between floor coverings or vertical surfaces (i.e walls, full length windows)



## Universal Kit (with base)

Length: 3400mm

Available Anodised: Silver, Bronze & Champagne

Available Powder Coated: Blackbutt, Spotted Gum, Jarrah, Blue Gum, Oak Natural & Teak

Ideal for connecting surfaces of equal height or slightly uneven height.



## Ramp/ Reducer Kit (with base)

Length: 3400mm

Available Anodised: Silver, Bronze & Champagne

Available Powder Coated: Blackbutt, Spotted Gum, Jarrah, Blue Gum, Oak Natural & Teak

Ideal for connecting surfaces with significant height variance.



## Senior Stair Section (15mm)

Length: 3400mm

Available Anodised: Silver, Bronze & Champagne

Available Powder Coated: N/A

Ideal stair nosing for 8 – 15mm flooring.

## Aluminium Trim Colour Availability

Trim Type - 3400mm	Silver Anodised	Bronze Anodised	Champagne Anodised	Blackbutt Powder Coated	Spotted Gum Powder Coated	Jarrah Powder Coated	Blue Gum Powder Coated	Oak Natural Powder Coated	Teak Powder Coated
Senior End	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mid End	✓	✓	✓	N/A	✓	N/A	N/A	✓	✓
Universal Kit	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ramp / Reducer Kit	✓	✓	✓	✓	✓	✓	✓	✓	✓
Senior Stair Section	✓	✓	✓	N/A	N/A	N/A	N/A	N/A	N/A



# Trims & accessories continued

## Foam Underlay

Everwalk HX6-20 Budget Underlay - 25m x 1m x 2mm
Hushwalk HX4-20 Premium Underlay - 25m x 1m x 2mm



## MDF Wrapped Scotia

Scotia - 25mm x 25mm
----------------------

Scotia available in the following colours:

Blackbutt, Spotted Gum, Brazilian Oak, Oak Wheat, Capital Oak, Ghost Gum, Oak Beaver, Kempas/Blue Gum, Brushbox, Jarrah, Walnut.

## Recommended trim colour combinations

Flooring:	Scotia:	Aluminium Trim:
<b>HM Walk</b>		
Blackbutt	Blackbutt	Blackbutt Powder Coated
Blue Gum	Kempas / Blue Gum	Blue Gum Powder Coated
Brushbox	Brushbox	Bronze Anodised
Ironbark	TBA	Teak Powder Coated
Jarrah	Jarrah	Jarrah Powder Coated
Spotted Gum	Spotted Gum	Spotted Gum Powder Coated
<b>Premiere Oak</b>		
Bateau	Oak Beaver	Silver Anodised
Burnt Umber	Walnut	Teak Powder Coated
Natural	Brazilian Oak	Oak Powder Coated
Slate Grey	Capital Oak	Bronze Anodised
Smouldered	Wheat	Oak Powder Coated
Vintage	Spotted Gum	Champagne Anodised
White Wash	Ghost Gum	Silver Anodised
<b>Elegant Oak</b>		
Bateau	Oak Beaver	Silver Anodised
Burnt Umber	Walnut	Teak Powder Coated
Natural	Brazilian Oak	Oak Powder Coated
Slate Grey	Capital Oak	Bronze Anodised
Smouldered	Wheat	Oak Powder Coated
Vintage	Spotted Gum	Champagne Anodised
White Wash	Ghost Gum	Silver Anodised



# About Complete Floors Australia



## The Complete Floors Australia.

Covers the entire supply chain from the management and harvesting of forest resources, processing, manufacturing, sales and distribution of wood products in Australia and around the world.



## 50 + Timber Species.

Strong relationships forged over the decades with producers both domestically and internationally allow Complete Floors Australia to source an impressive variety of native and exotic specialty timbers.



## An Australian Business.

Founded in 1932 Complete Floors Australia is an Australian third generation family business, strongly dedicated to the native hardwood timber industry, celebrating over 85 years of trade.



## International Export.

We offer local Hardwoods, Cypress and Complete Floors Australia lines for shipping to all major international markets. Complete Floors Australia international based branches: New Zealand, North America and France.



## Nationwide Distribution.

With distribution warehouses located in Queensland, New South Wales, Victoria, South Australia and Western Australia Complete Floors Australia are able to efficiently service the Australian market.



## Environmental Awareness.

Hurfords have purchased over 5000 hectares of land and have commenced a planting program that will see more than 25000 new plantation eucalypt saplings established each year.



**For all Business and Commercial enquiries,  
please contact one of our expert staff.**

Email: [sales@completefloorsaus.com.au](mailto:sales@completefloorsaus.com.au)

Postal Address: PO BOX 2270,  
Beenleigh QLD 4207



**For all business enquiries, please contact your local Complete Floors office:**

**Victoria & Tasmania**

47 Wedgewood Rd,  
Hallam VIC 3803  
Tel: (03) 8794 3390  
[vicsales@completefloorsaus.com.au](mailto:vicsales@completefloorsaus.com.au)

**Queensland**

400 Stapylton-Jacobs Well Rd,  
Stapylton QLD 4207  
Tel: (07) 3442 6391  
[qldsales@completefloorsaus.com.au](mailto:qldsales@completefloorsaus.com.au)

**Western Australia**

Tel: 0448 132 955 (Tim Stoner)  
[tim.stoner@completefloorsaus.com.au](mailto:tim.stoner@completefloorsaus.com.au)

**New South Wales & Act**

Unit 6, 34-38 Anzac Av,  
Smeaton Grange NSW 2567  
Tel: (02) 4648 3070  
[nswsales@completefloorsaus.com.au](mailto:nswsales@completefloorsaus.com.au)

**South Australia & Northern Territory**

7-9 Acorn Road,  
Camden Park SA 5038  
Tel: (03) 8794 3390  
[vicsales@completefloorsaus.com.au](mailto:vicsales@completefloorsaus.com.au)



**COMPLETE FLOORS**  
A U S T R A L I A

[www.completefloorsaustralia.com.au](http://www.completefloorsaustralia.com.au)