



NOMAD

- KINFOLK



Inspired by the beauty of natural timber, Complete Floors Australia's latest collection Supacore has been precisely created by a team of interior experts.

Each design has been thoughtfully developed to appeal exclusively to the Australian market, with beautiful grain structures, warmth of colour and attention to detail.

Profile	Feature	Benefit
	Micro Bevel Edges	Micro bevel edges create a small V-shape between each board for an authentic look.
L	Core	Limestone composite core board with up to 75% limestone powder. Resulting in a stable core that has minimal expansion and contraction.
6.5	6.5mm Thickness	Each product is 6.5mm thick, providing extra soft and warm cushioning underfoot. 5mm plank + 1.5mm IXPE backing = 6.5mm overall.

Finish	Feature	Benefit
	Matte Finish	Boards with a matte finish reflect the natural look and feel of timber.
	Woodgrain	Boards have an authentic timber woodgrain look.
0.55mm	Wear Layer	A 0.55mm wear layer protects the surface of your vinyl plank flooring from everyday wear and tear.
	Waterproof	Continue the timber look through your living zones and wet areas including bathroooms and laundries. Supacore can be wet mopped.



BLACKBUTT

is a straight grained timber, with a warm nutty hue which will compliment a range of interior designs where a lighter neutral palette is desired.

SPOTTED GUM

Spotted Gum is a rich individual timber, desired by Architects and Designers the world over, particularly for its striking backsawn grain structure, attractive fiddleback and vibrant colour palette. An Australian favourite.

ATT.

CARBON

A dark mysterious colour, giving the oak powerful undertones, Carbon will transform any area into a sophisticated space.



CHESTNUT

Chestnut creates a base for a warm feel to any space.

ald a

FRENCH GREY

French Grey is Inspired by French provincial châteaus, featuring a rustic blend of medium browns, highlighting pistachio hues with dark featured grains.



HARBOR GREY

Creating depth and detail, Harbor Grey oozes elegance and timeless style.



KHAKI

Bringing the patina of time to the look and feel of oak, Khaki is a mid neutral tone to compliment and enhance any interior.



AND DESCRIPTION OF

SANDSTONE

A light & airy feel, Sandstone creates the perfect summer house look to compliment any space.



FLOORCARE

We want your Supacore flooring to look its best for years to come, so here are some guidelines to help you achieve that:

Day to Day

- * Sweep or vacuum to remove loose dirt, grit or dust
- * Use clean mops and natural cleaning solutions to regularly clean your floor
- * Dilute the floor cleanser to manufacturers instructions
- * Mop the floor evenly
- * Collect excess liquid in a mop bucket
- * Rinse the floor with clean water and allow to dry

Please do:


Install mats at entrances to collect grit and moisture Fit furniture with protective pads to prevent scratches Remove spillages as quickly as possible to reduce risk Regularly trim pets claws

Please do not:

Use abrasive liquids or metal scouring pads Clean the floor with solvents, washing up liquids, soap powders, bleach, furniture polish, petrol-based products, pine gels, stain removers Drag furniture with unprotected bottoms across the floor

ACCESSORIES

Scotia – Matching scotia available per piece Size: 2400mm x 14mm x 28mm **Stair Nosings –** Matching stair nosings available per piece Size: 2400mm x 110mm x 30mm





COMMERCIAL SPECIFICATIONS

Technical Data

Type: Thickness: Wear layer: Dimensions: Planks per box: M2 per box: M2 per pallet: Colours: Install Method: Finish: Surface: Top layer: Substrate layer: Backing layer: Profile: Protective coating:

Hybrid 5mm + backing (6.5mm overall) 0.55mm 1500 (L) x 180mm (W) 6 1.62m2 89.10m2 8 Drop Lock Matte Aus = embossed, oaks = EIRDecorative film & Wear layer Limestone composite 1.5mm IXPE Micro bevel UV coating

Performance

Dimensional stability:≤ 0.04mmAbrasion rating:Group TResidual indentation:≤ 0.03mmImpact sound reduction:IIC = 54Light fastness:≥ 6Fire classification:AvailableSlip resistance:AvailableResidential Warranty:25 Years*Light Commercial Warranty:10 Years*

≤ 0.04mm Group T ≤ 0.03mm IIC = 54 ≥ 6 Available on Request Available on Request 25 Years*



AUSTRALIA

PO Box 2270 Beenleigh QLD 4207 sales@completefloorsaus.com.au